
TABLE SOCCER

ASSEMBLY INSTRUCTIONS




SOCCER TABLE ASSEMBLY

WARNING: TWO ADULTS NEEDED TO ASSEMBLE SOCCER TABLE

- 8. INSERT THE PLAYER RODS **C1&C2&C3** THROUGH ONR SIDE PANEL, THEN INSERT PLAYERS **C8&C9** AND RUBBER BUSHINGS **C4**, PLASTIC WASHERS **C5** THROUGH THE ROD, REFER TO **R1~R6**. THEN INSERT THE PLAYER ROD THROUGH OTHER SIDE PANEL, ATTACH THE PLAYERS **C8&C9** WITH BOLTS **C6** AND NUTS **C7**. SEE **Figure 6**.
- 9. ATTACH THE HANDLES **P7** WITH BOLT **H10**. SLIDE THE RUBBER CAPS **P8** ON THE OTHER END OF THE ROD .
- 10. ATTACH BALL ENTRY CUPS **P9A** AND **P9B** TO THE SIDE PANELS WITH SCREWS **H8** AS SHOWN IN **figure 6**.

Tighten all the hardware before playing games4!



PARTS IDENTIFIER

HARDWARE

4	NDWAND				
		DESCRIP	PTION	QTY. REQUII	
		[H1]	5/16"x1-3/4" BOL		8
		[H2]	5/16"x1-1/4" BOL	T	8
	O	$\overline{\left[H3\right] }_{5}$	/16" WASHER,BI	LACK FLAT	16
		$[H4]_{1}$	/4"x2" BOLT		8
	O	$[H5]_{1}$	/4" WASHER,BL	ACK FLAT	8
		$\overline{H6}$ 1-2	1/8"FLAT HEAD PHI	LLIPS SCREW	16
		$\overline{H7}_{1/2}$	"ROUND HEAD PHI	LLIPS SCREW	36
		$\overline{H8}$ _{5/5}	8"ROUND HEAD PH	ILLIPS SCREW	10
		[H9] ₁	-3/4"FLAT HEAD PH	IILLIPS SCREW	4
		[H10]	SCREW (used to install	handle)	8
		SI	SCREW		24
4	CCESSO	RIES			QTY
			SOCCER BALL		4
		12	TOOL		1

PARTS IDENTIFIER


ASSEMBLY PARTS					
	DESCRIPTION				
- Free Bassel	P1 SIDE PANEL	2			
	P2 END PANEL	2			
	P3 PLAYING FIELD	1			
<u>E:</u>	P4 LEG	4			
	P5 PLAYFIELD SUPPORT BRACE	3			
	P6 SUPPORT BRACKET	6			
	P7 HANDLE	8			
0	P8 ROD END CAP	8			
	P9A BALL ENTRY CUP	2			
	P9B BALL ENTRY SOCKET	2			
S. C.	[P10] SLIDE SCORER	2			
	[P11] CUP HOLDER	2			
_	P12 LEG LEVELER	4			
	#1a TRIANGLE a	2			
	#1b TRIANGLE b	2			
	#2a L STYLE PLASTIC a	2			
	#2b L STYLE PLASTIC b	2			

ASSEMBLY INSTRUCTIONS

SOCCER TABLE ASSEMBLY

WARNING: TWO ADULTS NEEDED TO ASSEMBLE SOCCER TABLE

- 6. ATTACH THE TWO SETS OF SLIDE SCORER **P10** TO THE END OF TABLE WITH PHILLIS HEAD SCREWS **H9**. ATTACH CUP HOLDER **P11** WITH SCREWS **H8**.
- 7. ATTACH THE PLASTIC #2a, #2b,#3a,#3b,TO THE PLAYING FIELD WITH S1 AS SHOWN IN **FIGURE 5**.



SOCCER TABLE ASSEMBLY

WARNING: TWO ADULTS NEEDED TO ASSEMBLE SOCCER TABLE

5. ATTACH THE LEGS **P4** AS SHOWN IN **figure 4**.
THE LEGS ARE ATTACHED WITH BOLTS **H1,H2**, AND WASHERS **H3**.
TIGHTEN HARDWARE AT THIS TIME.
ATTACH THE LEG LEVELERS **P12** AS SHOWN IN **figure 4**.

WARNING

This step requires two adults!

Very carefully turn the table over.

Be careful! The table is very heavy





FIGURE4




PARTS IDENTIFIER

REPLACEMENT PARTS						
		DESCRIPTION	QTY			
	C1	5 PLAYER ROD	2			
	C2	3 PLAYER ROD	4			
	[C3]	2 PLAYER ROD	2			
	C4	RUBBER BUSHING	16			
	C5	PLASTIC ROD WASHERS	16			
	C6	1-1/8"BOLT(used to install men)	26			
	[C7]	LOCKING NUT (used to install men)	26			
	<u>[C8]</u>	HOME MEN	13			
	[C9]	AWAY MEN	13			


SOCCER TABLE ASSEMBLY

WARNING: TWO ADULTS NEEDED TO ASSEMBLE SOCCER TABLE

1. INSERT PLAY FIELD **P3** INTO THE GROOVE ON THE SIDE PANELS **P1** WITH GRAPHICS FACING DOWN. SEE **figure 1**



- 2. ATTACH THE TWO END PANELS **P2** TO THE SIDE PANELS **P1**AS SHOWN IN **figure 2**. **REMEMBER: THE GROOVE MUST FACE INWARD TOWARD THE PLAY FIELD**. ATTACH THE END PANELS WITH BOLTS **H4** AND WASHERS **H5**.
- 3. ATTACH PLAY FIELD WITH SCREWS **H6** IN THE END AND SIDE PA AS SHOWN IN **figure 2**.




ASSEMBLY INSTRUCTIONS

SOCCER TABLE ASSEMBLY

WARING: TWO ADULTS NEEDED TO ASSEMBLE SOCCER TABLE

4. PLACE THE PLAYFIELD SUPORT BRACES **P5** ON THE BOTTOM OF THE PLAYFIELD. ATTATCH THE BRACES USING BRACKETS **P6** AND SCREWS **H7.** AS SHOWN IN **figure 3**.



SOCCER TABLE ASSEMBLY

WARNING: TWO ADULTS NEEDED TO ASSEMBLE SOCCER TABLE

	HOLE		
Q			
	30		QTY
500	R1	5 HOME PLAYERS ROD	1
	<i>/</i>		
TO THE STATE OF TH	R2	3 HOME PLAYERS ROD	2
	<i>/</i>		
and the	R3	2 HOME PLAYERS ROD	1
	70 TO		
	$\sqrt{R4}$	5 AWAY PLAYERS ROD	1
	/		
AND THE REAL PROPERTY.	R5	3 AWAY PLAYERS ROD	2
	<i>/</i>		
20 P	[R6]	2 AWAY PLAYERS ROD	1